



FOR COMMERCIAL APPLICATIONS

FEATURES

Standard Features

- Controls up to 3 configurable outputs for maximum flexibility
- Heat-pump compatible
- · Color-coded keys
- · Large, easy-to-read backlit display
- Programmable or non-programmable
- · Configurable manual mode or auto-changeover
- LED light to indicate cooling or heating mode
- Service filter and UV light indicators
- Fahrenheit or Celsius displays
- Non-volatile memory
- Keypad lock

TSTAT G2200C

Non-Programmable with Smart Fan

- 2-stage heat / 2-stage cool
- Up to 4 hours over-ride
- · Controls or monitors a second sensor
- Set point limiting
- · Random start
- Accepts Humidity Module
- Dry Contact Input

TSTAT G3271C

7-DAY PROGRAMMABLE WITH SMART FAN

- 3-stage heat / 2-stage cool
- Up to 3 occupied periods per day
- · Outdoor temperature display
- Holiday Mode
- · Energy Saver



Complete warranty details available from your local dealer or at www.goodmanmfg.com.



G3272C



G3271C



G2200C

TSTAT G3272C

7-DAY PROGRAMMABLE WITH SMART FAN

- 3-stage heat / 2-stage cool
- Up to 3 occupied periods per day
- · Outdoor temperature display
- Light Activated
- Programmable Output
- Economizer Control
- Can averaage with up to 8 remote sensors
- Reheat-Capable
- Pre-occupancy fan purge
- · Accepts Humidity Module
- Dry Contact Input
- Holiday Mode
- Energy Saver/ Energy Watch

SPECIFICATIONS

IMAGE	MODEL	APPLICATION	CHANGE- OVER	PROGRAM- MABLE	STAGES	DISPLAY	READ- OUT	INDICATOR	Power Source
58	G2200C	Heat Pump w/ Aux. Heat	Auto/ Manual	No	2 Heat/ 2 Cool	Back-lit Digital	Fahrenheit or Celsius	Outdoor Temps/ Service Filter & UV	Hard-wired
5 8	G3271C	Gas Heat Electric Heat Electric Cool	Auto/ Manual	7-day	3 Heat/ 2 Cool	Back-lit Digital	Fahrenheit or Celsius	Outdoor Temps/ Service Filter & UV	Hard-wired
E Ba	G3272C	Gas Heat Electric Heat Electric Cool	Auto/ Manual	7-day	3 Heat/ 2 Cool	Back-lit Digital	Fahrenheit or Celsius	Outdoor Temps/ Service Filter & UV	Hard-wired

COMMERCIAL THERMOSTATS AND UNIT MATCHES

MODEL	A/C	HEAT PUMPS	GAS FURNACES	PACKAGED AIR CONDITIONERS	PACKAGED HEAT PUMPS	PACKAGED GAS/ELECTRIC
G2200C	Х	Х	Х	Х	Х	Х
G3271C	Х	Х	Х	Х	Х	Х
G3272C	Х	Х	Х	Х	Х	Х

Accessories

Accessory	ITEM #? DESCRIPTION	Accessory Features	THERMOSTATS
	TSTATGAC0400 Wired Outdoor Sensor	Allows the outdoor air temperature to be sent to the thermostat	TSTATG2200C TSTATG3271C TSTATG3272C
	TSTATGAC0401 Wired Remote Indoor Sensor	Indoor sensor with over-ride button allows user to change to Occupied mode for after-hours heating or cooling	TSTATG2200C TSTATG3272C
Goodman a Common a home Add A-virus	TSTATGAC0410 Add-a-Wire	Where additional wiring cannot be run, this accessory can be used to add a wire to the thermostat	TSTATG2200C TSTATG3271C TSTATG3272C
#U1 0 1 2 4 9 3 8 9	TSTATGAC0414REC Wireless Receiver	Automatically averages the temperatures it receives from the indoor wireless sensor and reports the average to the thermostat	TSTATG2200C TSTATG3272C
	TSTATGAC0414RF Wireless Sensor	Wireless Remote Room Sensor monitors indoor or outdoor temperature	TSTATG2200C TSTATG3272C
O STORY OF THE PARTY OF THE PAR	TSTATGAC0430 Humidity Module	Simple, snap-in module provides humidify/dehumidify control between thermostat and HVAC unit equipped with these systems	TSTATG2200C TSTATG3272C
	TSTATGAC0431 Remote Control & Receiver	Allows for the infrared remote operation of the most basic thermostat functions 'Warmer' & 'Cooler' commands make the remote very easy to use	TSTATG2200C TSTATG3271C TSTATG3272C

Accessories

Accessory	ITEM #/ DESCRIPTION	Accessory Features	THERMOSTATS
1.00 o. 11	TSTATGAC0432 EZ Programmer	 Allows installer to copy stored data from one thermostat (in the shop) & transfer it to another (the client's) Allows user to transfer configuration setting from one thermostat to another Stores data from several thermostats simultaneously 	TSTATG2200C TSTATG3271C TSTATG3272C
and the second s	TSTATGAC0433 Comfort Call	 Allows user to call the thermostat to set temperatures Base Station connects to phone line; doesn't have to be in the same room as thermostat Wireless RF Module 10-minute installation No Setup/Programming necessary 	TSTATG2200C TSTATG3271C TSTATG3272C

